UNILITE



part of ASPEN PUMPS GROUP

CONTENTS



SITE LIGHTS
Durable lights fit for any jobsite 4-11

WORK LIGHTS
Focused and functional lights 12-19

INSPECTION LIGHTS
High-accuracy lights for detailed tasks 20-29

HEADTORCHES
Hands free and precise lights 30-39

FLASHLIGHTS
Compact lights for portable use 40-45

MULTI-USE LIGHTS
46-53 ..... An array of multi purpose lighting

CRI LIGHTS
54-57 ..... Colour accurate rendering lights

ATEX LIGHTS
58-63 ..... Suitable for use in hazardous areas

TOOLS
64-83 ..... A variety of durable equipment

ACCESSORIES
84-89 ..... Designed to get more from your kit


FOR THE PRODUCT INDEX
TURN TO PAGE 90

SITE LIGHTS









MTB-10000 | MULTI-BATTERY 360˚ SITE LIGHT

- Ultra high power 10000 lumen white SMD LEDs
- Multiple colour temperatures - CCT: 2700k / 3500k / 4500k / 5500k / 6500k
- Takes up to 20V 6.0Ah batteries from Milwaukee, DeWalt, Makita and Metabo - 4 adapters included
- Secure battery compartment (note: larger 5.5Ah-6.0Ah batteries may need to be used without cover)
- Super tough heavy duty GF nylon and PC construction with an easy carry rubber grip handle
- Concealed fold-out ultra tough steel rotating hanging hook in base and 2 screw holes for attaching magnets
- Milky PC diffuser lens for even light dispersion
- Smart Memory Switch - remember last mode used
- 5 x Battery level and charging indicators
- Unilite 14.8V 5.2Ah battery available to purchase separately


BATTERY Not included, bare tool
WEIGHT 3.65kg
DIMENSIONS 333 x 278 x 255 mm

**NOTE: runtime is based on the Unilite 14.8V 5.2Ah battery. Other batteries will vary.*

NOTE: DeWalt PowerStack, Hilti Nuron and Flex 24V battery platforms are not compatible

10000LM | *1-10H | 89M | IP65/IK08





MTB-5300 | MULTI-BATTERY HYBRID SITE LIGHT

- Super powerful 5300 lumen white COB LED, 6500k
- Hybrid Power - rechargeable and mains powered
- Takes up to 20V 6.0Ah batteries from Milwaukee, DeWalt, Makita and Metabo - 4 adapters included
- Secure battery compartment (note: larger 5.5Ah-6.0Ah batteries may need to be used without cover)
- Super tough heavy duty GF nylon construction with an easy carry rubber grip handle
- Rotating stand with holes for attaching tripod/magnet
- Safety automatic switch-over from mains to battery in event of power failure
- Smart Memory Switch - remember last mode used
- 4 x Battery level and charging indicators and useful 2A USB Powerbank - works with any battery installed
- Comes with 5 metre heavy duty 24V-2.7A H05RN-F power lead (with UK, EU, US and AU plugs)

BATTERY Not included, bare tool
WEIGHT 1.25kg
DIMENSIONS 181 x 238 x 257 mm

**NOTE: runtime is based on the Unilite 14.8V 5.2Ah battery. Other batteries will vary.*

NOTE: DeWalt PowerStack, Hilti Nuron and Flex 24V battery platforms are not compatible

5300LM | *2.5-16H | 95M | IP65/IK07













MTB-5000 | ULTRA TOUGH MULTI-BATTERY SITE LIGHT

- Super bright 5000 lumen white SMD LEDs
- Multiple colour temperatures - CCT: 2700k / 3500k / 4500k / 5500k / 6500k
- Takes up to 20V 6.0Ah batteries from Milwaukee, DeWalt, Makita and Metabo - 4 adapters included
- Secure battery compartment (note: larger 5.5Ah-6.0Ah batteries may need to be used without cover)
- Super tough heavy duty IK10 GF nylon and TPR construction
- Milky PC diffuser lens for even light dispersion
- 150˚ rotating stand with hole for attaching tripod/magnet and feet that act as a hanging bracket
- Smart Memory Switch - remember last mode used
- 5 x Battery level and charging indicators
- Unilite 14.8V 5.2Ah battery available to purchase separately

BATTERY Not included, bare tool
WEIGHT 1.98kg
DIMENSIONS 148 x 280 x 280 mm

**NOTE: runtime is based on the Unilite 14.8V 5.2Ah battery. Other batteries will vary.*

NOTE: DeWalt PowerStack, Hilti Nuron and Flex 24V battery platforms are not compatible


5000LM | *2-15H | 49M | IP65/IK10

TL-6000 | SUPER TOUGH TRIPOD LIGHT

- Super bright 6000 lumen white SMD LEDs
- Multiple colour temperatures - CCT: 2700k / 3500k / 4500k / 5500k / 6500k
- Hybrid Power - rechargeable and mains powered
- 2 Independent heads fold-out 90˚ and pivot 330˚ for light direction where required
- Super tough heavy duty GF nylon, PC and aluminium construction
- Quick release levers for rapid deployment in seconds
- Extends to 2.24m and folds down to 1.2m
- Smart Memory Switch - remembers last mode used
- 5 x Battery level and charging indicators and quick 4.5 hour charge time
- Mains 20V 1.1A multi-country charger/power lead included (with UK, EU, US and AU adaptors)

BATTERY 14.8V 5200mAh Li-ion Battery
WEIGHT 4.4kg
DIMENSIONS Folded: 1200 x 142 x 142 mm

6000LM | 2-16H | 64M | IP65/IK07





SLR-5500 | RECHARGEABLE SITE LIGHT

- Super bright 5500 lumen white SMD LEDs, 6500k
- High power 7.4V 7500mAh Li-ion battery pack
- Removable battery with 2A USB powerbank to charge other devices
- Tough aluminium and PC construction with Acrylic LED diffuser for even light dispersion
- Glow-in-the-Dark strip around reflector for extra visibility
- Built-in aluminium heat sink to dissipate heat effectively
- Anti-slip rubber grip handle and super strong magnetic base
- Adjustable head to angle the light where required
- 4 x Battery level and charging indicators and a 4-5 hour charge time
- Mains 12V 2A multi-country charger/power lead included (with UK, EU, US and AU adaptors)

BATTERY 7.4V 7500mAh Li-ion Battery Pack
WEIGHT 2.2kg
DIMENSIONS 215 x 192 x 285 mm

5500LM | 3-6H | 54M | IP54



RF-5400 | SUPER TOUGH SITE LIGHT

- Super powerful 5400 lumen white SMD LEDs, 6500k
- Top quality LEDs with up to 100,000 hour lifespan
- Hybrid Power - rechargeable and mains powered
- Ultra tough GF nylon heavy duty construction
- Low profile for easy storage and transport with Intelligent heat dissipating design
- Glare-free milky PC lens for extensive smooth light spread
- 180˚ adjustable stand/handle with holes for tripod/magnet
- Smart Memory Switch - remembers last mode used
- 5 x Battery level and charging indicators and quick 3.5 hour charge time
- Mains 15V 1.5A multi-country charger/power lead included (with UK, EU, US and AU adaptors)

BATTERY 11.1V 5200mAh Li-ion Battery
WEIGHT 1.45kg
DIMENSIONS 205 x 273 x 81 mm

5400LM | 2-16H | 56M | IP65/IK09

WORK LIGHTS







CL-1700 | HEAVY DUTY CLAMP LIGHT

- Super bright 1700 lumen white COB LED, 6500k
- Ultra tough GF nylon and TPE over-moulded housing
- Incredibly strong jaw clamp to attach almost anywhere
- Extra strong magnet on base with 4 non-slip rubber feet
- Clamp handles allow the lamp to stand-up in multiple positions
- Light head lifts up/down 270˚ and rotates around 340˚
- Smart Memory Switch - remembers last used mode
- Over-charge and over-discharge protection with a 5 hour charge time
- Low battery warning 3x flash - reminds to charge with 1m USB-C charging cable
- Supports 'PD' Power Delivery fast charging with faster 3A USB-C charging

BATTERY 3.7V 5200mAh Li-ion Battery
WEIGHT 626.5g
DIMENSIONS 100 x 94 x 176 mm

1700LM | 3-22H | 53M | IP65/IK07





SLR-1750 | WORK LIGHT WITH POWERBANK

- Super powerful 1750 lumen white COB LED, 6500k
- Red LED modes for emergency, signalling and night vision
- Built-in USB powerbank with multiple intelligent outputs - 5V-3A/9V-2A/12V-1A
- Super tough PC and aluminium construction
- 180˚ rotating handle/stand with carabiner snap hook and strong magnets
- Dual bi-directional USB-A and USB-C ports for convenient input and output options
- Glow-in-the-dark strip around reflector for extra visibility
- Super high power 'LG' 10,400mAh battery with 1m USB-C charging cable
- 4 x Battery level and charging indicators
- Fast 4 - 4.5 hour USB charging with multiple inputs - 5V-3A/9V-2A

BATTERY 3.7V 10,400mAh Li-ion Battery
WEIGHT 600g
DIMENSIONS Folded 158 x 102 x 55 mm / Extended 268 x 102 x 48 mm

1750LM | 4.5-195H | 50M | IPX5









SLR-1450 | COMPACT 360˚ WORK LIGHT

- Powerful 1450 lumen white COB LED, 6500k
- With 45 lumen 620nm Red static and Red flashing modes
- Additional 150 lumen 6500k white LED top flashlight
- Compact size with 360˚ rotating body constructed from super tough PC and aluminium
- 180˚ rotating handle/stand with carabiner snap hook and strong magnets
- Glow-in-the-dark strip around reflector for extra visibility
- 4 x Battery level and charging indicators with 1m USB-C charging cable
- Fast 5V-2A USB-C charging - 3 hours via port in the body
- Battery is easily removed and replaced by unscrewing the top screw cap
- Bi-directional USB-C port on battery allows quicker direct charging and can be used as a 1A powerbank to charge other devices

BATTERY 1 x 3.6V 5000mAh 21700 Li-ion Battery
WEIGHT 288g
DIMENSIONS Folded 122.5 x 50.5 x 50.5 mm / Extended 219 x 50.5 x 50 mm

1450LM | 3-90H | 53M | IPX5


SP-950 | BLUETOOTH SPEAKER WORK LIGHT

- Powerful 950 lumen white COB LED, 6500k - with 15 lumen 620nm Red modes
- Top quality built-in 5W powerful Bluetooth speaker
- Additional 150 lumen 6500k white SMD LED top flashlight
- Compact size with 360˚ rotating body constructed from super tough PC and aluminium
- 180˚ rotating handle/stand with carabiner snap hook and strong magnets
- Glow-in-the-dark strip around reflector for extra visibility
- 4 x Battery level and charging indicators with 1m USB-C charging cable
- Fast 5V-2A USB-C charging - approx 3 hours via port in the lamp body
- Battery is easily removed and replaced by unscrewing the top screw cap
- Bi-directional USB-C port on battery allows quicker direct charging and can be used as a 1A powerbank to charge other devices

BATTERY 1 x 3.6V 5000mAh 21700 Li-ion Battery
WEIGHT 320g
DIMENSIONS Folded 122.5 x 50 x 65 mm / Extended 219 x 50.5 x 64.5 mm

Please Note: Runtime will vary when using the speaker and lights at the same time

950LM | 3.5-50H | 48M | IPX5













HX-1080 | HEAVY DUTY MAGNETIC WORK LIGHT

- High quality 1080 lumen white COB LED, 6500k
- Ultra tough heavy duty GF nylon, aluminium and TPE overmoulded housing
- Fold-out 360˚ swivel finger loop for secure holding
- Extra strong magnetic 120˚ fold-out stand
- Convenient press and hold smooth dimming function
- High quality 3.7V 2600mAh Li-ion battery with over-charge and over-discharge protection
- Fast 2A USB-C charging - 4 hour charge time
- 3 Colour battery level indicator with low battery warning 3x flash - reminds to charge
- Supports 'PD' Power Delivery fast charging
- 1m High quality USB-C charging cable included

BATTERY 3.7V 2600mAh Li-ion Battery
WEIGHT 220g
DIMENSIONS 106.3 x 40.5 x 93.7 mm

1080LM | 2.5-8H | 44M | IP65/IK07

K-550 | COMPACT MINI WORK LIGHT

- Super bright 550 lumen white COB LED, 6500k
- Press and hold Turbo mode with additional red modes - 6 different lighting modes
- Ultra tough ABS and engineering grade POM construction
- Super compact lightweight size, small enough for your keyring
- 160˚ Rotating stand with integrated magnet
- Smart Memory Switch - remembers last mode used
- Glow-in-the-Dark strip around LED for extra visibility
- Comes with a carabiner and 30cm USB-C charging cable
- 4 x Useful battery level and charging indicators
- 1A USB-C charging - fast 1.5 hour charge time

BATTERY 3.7V 1200mAh Li-polymer Battery
WEIGHT 74g
DIMENSIONS 28 x 54 x 60 mm

*Please Note: *550 lumen 'press & hold' Turbo with 1 hour total runtime. High mode is 375 lumen with 3 hour runtime*

550LM | 1*-28H | 29M | IPX6

INSPECTION LIGHTS









IL-1600 | HEAVY DUTY FOLDING INSPECTION LIGHT WITH UV

- Ultra powerful 1600 lumen white COB LED, 6500k
- 150 lumen 6500k SMD LED Top flashlight plus UV LED - 365nm SMD LED (630mW power) - perfect for HVAC & Auto
- Super tough aircraft-grade aluminium and GF nylon construction
- 180˚ vertical folding and 270˚ twist rotating head with super strong magnetic base
- IK07 shock resistant - 2m drop resistant and IP65 dust & water resistant
- UV LED has 5 minute automatic safety shut-down to avoid prolonged exposure
- 3 x Battery level and charging indicators plus a Low battery 3x warning flash - reminds to charge
- Fast 2A USB-C charging - 3 hours via port in the body with 50cm high quality USB-C cable
- Battery is easily removed and replaced by unscrewing the base cap
- Bi-directional USB-C port on battery allows quicker direct charging and can be used as a 1A powerbank to charge other devices

BATTERY 1 x 3.6V 5000mAh 21700 Li-ion Battery
WEIGHT 337g (with battery)
DIMENSIONS Folded 187 x 42 x 30 mm / Extended 349 x 30 x 30 mm

1600LM | 3-16H | 49M | IP65/IK07







IL-925R | FOLDING INSPECTION LIGHT

- Super bright 925 lumen white COB LED, 6500k
- Secondary rear 475 lumen white COB LED, 6500k
- Extra top flashlight - 150 lumen SMD LED, 6500k
- Compact hand-held pocket size
- 180˚ vertical folding head to direct light where desired
- Super tough aircraft-grade aluminium and GF nylon construction
- Ultra strong magnetic base
- IK07 shock resistant - 2m drop resistant and IP65 dust and water resistant
- 3 x Battery level and charging indicators with a 4 hour charge time
- 1A USB-C charging - 1m high quality charging cable included

BATTERY 3.7V 2600mAh Li-ion Battery
WEIGHT 193g
DIMENSIONS Folded 162 x 40 x 29 mm / Extended 304 x 33 x 29 mm

925LM | 2.5-9H | 41M | IP54/IK07



IL-425R | FOLDING INSPECTION LIGHT

- Powerful 425 lumen white COB LED, 6500k
- Secondary rear 150 lumen white SMD LED, 6500k
- Extra top flashlight - 80 lumen SMD LED, 6500k
- Ultra lightweight compact pocket size
- 180˚ vertical folding head to direct light where desired
- Super tough aircraft-grade aluminium and GF nylon construction
- Useful pocket clip with super strong magnetic base
- High quality 1100mAh li-ion battery with a 3 hour charge time
- Low battery warning 3x flash - reminds to charge
- 1A USB-C charging - 1m high quality charging cable included

BATTERY 3.7V 1100mAh Li-ion Battery
WEIGHT 105g
DIMENSIONS Folded 147 x 33.5 x 21 mm / Extended 279 x 33.5 x 21 mm

425LM | 3-6.5H | 31M | IP20/IK07



PL-3 | INSPECTION PENLIGHT


- Powerful 500 lumen white SMD LEDs, 6500k
- Die cast aircraft-grade aluminium construction
- Easy press rubberised micro-switch
- 3 Light mode settings for extended runtimes
- Super strong magnetic base
- Useful rear aluminium pocket clip
- Convenient compact lightweight pocket size
- 3 x upgraded AAA ‘Super Power’ batteries included
- IPX4 water resistant and 1m drop resistant

BATTERY 3 x 1.5V AAA Alkaline Batteries (inc.)
WEIGHT 89g (with batteries)
DIMENSIONS 154 x 21.5 x 15 mm

500LM | 2.5-16H | 28M | IPX4









PL-1800 | SLIM POCKET LIGHT WITH RGB & UV

- Super bright 1800 lumen white flashlight LEDs, 6500k
- With powerful 1200 lumen white COB LED, 6000k
- 365nm UV LED (900mW) flashlight perfect for HVAC and Auto leak detection
- RGB LED strip for night vision/map reading/signalling with red flashing for emergencies
- Hand-held pocket size constructed from tough aircraft-grade aluminium
- Strong magnetic base and rear pocket clip with Glow-in-the-dark ring around COB LED
- Dual switches for easy operation with useful battery level indicators under switches
- Press and hold smooth dimming to reduce brightness for even longer runtimes
- RGB strip doubles as easy to see charging indicator
- 30cm 1A USB-C-to-USB-C cable included - quick 3.5 hour charge time

BATTERY 3.7V 2000mAh Li-polymer Battery
WEIGHT 176g
DIMENSIONS 120 x 45 x 21.88mm

**1800 lumen Turbo lasts 30 seconds then drops for safety and heat reasons*

1800LM* | 1.5-6H | 165M | IPX6

PL-550 | SLIM MINI POCKET LIGHT

- Powerful 550 lumen white COB LED, 6500k
- Additional 100 lumen white SMD LED top flashlight, 6500k
- Glow-in-the-dark strip around COB LED for extra visibility
- Smart Memory Switch - remembers last mode used
- Solid full aircraft-grade aluminium construction in a compact mini size
- Convenient rear pocket clip with strong magnetic base
- IPX5 water resistant and 1m drop resistant
- Battery level and charging indicator under switch
- 3.7V 600mAh li-polymer battery with super quick 1 hour charge time
- 30cm 1A USB-C to USB-C charging cable included

BATTERY 3.7V 600mAh Li-polymer Battery
WEIGHT 44.5g
DIMENSIONS 94.5 x 25.7 x 18 mm

**550lm Turbo lasts 60 seconds then drops to low mode for safety and heat reasons.*

550LM* | 1.5-3.5H | 33M | IPX5







IL-625R | USB INSPECTION LIGHT

- Powerful 625 lumen white COB LED, 6500k
- Additional 250 lumen white SMD LED top flashlight, 6500k
- Plus 395nm UV LED on front - great for HVAC and Auto leak detection
- Super tough aluminium and PC construction
- Strong rear pocket clip with integrated magnet
- Super strong magnetic base
- Glow-in-the-dark strip around LED for extra visibility
- 4 x Battery level and charging indicators with a 3 hour charge time
- High power 3.7V 2500mAh Li-ion battery
- 1A USB-C charging - 1m high quality cable included

BATTERY 3.7V 2500mAh Li-ion Battery
WEIGHT 190g
DIMENSIONS 188 x 35 x 35 mm

625LM | 3-12H | 46M | IP65/IK07

IL-SIG1 | SIGNALLING INSPECTION LIGHT

- Super bright 1100 lumen white SMD LEDs, 6500k
- Red / Amber / Green SMD LEDs for signalling - static and 2Hz flashing modes
- 4 Independent switches for easy mode selection
- Additional 220 lumen white SMD LED top flashlight, 6500k
- Super tough aluminium and PC construction
- Built-in aluminium heat sink for safe heat dissipation
- Rear 360˚ rotating hanging hook with integral magnets
- Multi-positional fold-out kick stand/hook
- Red-to-Green charging indicator LED with a 4-5 hour charge time
- 1A USB-C charging - 1m high quality cable included

BATTERY 3.7V 5000mAh Li-ion Battery
WEIGHT 334g
DIMENSIONS 205 x 60 x 42 mm

1100LM | 3.5-30H | 61M | IP54

HEAD TORCHES











HT-1600R | SUPER BRIGHT POWERBANK HEADTORCH

- Ultra bright 1600 lumen dual white LEDs, 6500k - spot and flood beams
- Long distance and flood beams with Red LEDs for night vision/emergency
- Easy twist smooth dimming switch for ultimate control
- 60˚ rotating head to angle light where desired
- Adjustable non-slip silicone lined headbands and Hard-shell zipped case included
- Smart Memory Switch - remembers last white mode used
- Intelligent parallel circuitry - runs on 1 or 2 batteries
- Useful battery level and charging indicators - Fast 5V-3A USB-C charging - 5 hour charge time
- Battery pack can be detached and used as a 10000mAh powerbank (5V-3A output)
- Bi-directional USB-C port on each battery allows quicker direct charging and can be used as a 1A powerbanks to charge other devices

BATTERY 2 x 3.6V 5000mAh 21700 Li-ion Batteries (inc.)
WEIGHT 392g (With 2 Batteries)
DIMENSIONS Headtorch 40 x 65 x 35.5 mm / Battery Pack 50 x 106 x 30 mm

Please Note: 8 Hours is based on brightness reducing for heat & safety reasons

1600LM | 8-38H | 128M | IP65

HT-700 | SENSOR HELMET HEADTORCH WITH RGB LED

- High power 700 lumen dual white Cree LEDs, 6500k - spot and flood beams
- RGB LED for night vision/map reading/signalling, with Red flash for emergencies
- 150˚ rotating head angle with optional motion sensor for hands-free activation
- Smart Memory Switch - remembers last white mode used
- Press and hold smooth dimming for ultimate control
- Adjustable non-slip silicone lined headband, 3M VHB adhesive helmet mount, 30cm USB-C charging cable and hard-shell zipped case included
- Battery level and charging indicator under switch - 4 hour charge time
- Battery is easily removed and replaced by unscrewing the end cap
- Powerful 'LG' 3400mAh 3.6V 18650 Li-ion battery included
- Bi-directional USB-C port on battery allows quicker 2A charging and can be used as a 1A powerbank to charge other devices

BATTERY 1 x 3.6V 3400mAh 18650 Li-ion Battery (inc.)
WEIGHT 121g (Headtorch with battery, no strap)
DIMENSIONS Headtorch 50.65 x 79.5 x 39.5 mm

700LM | 5.5-170H | 70M | IP65





PS-HDL9R | INDUSTRIAL HIGH POWER HEADTORCH

- Super bright 750 lumen white Cree LED, 6500k
- Red rear battery pack light (On and Flashing modes)
- Wider light spread with anti-dazzle retractable light shield
- 45˚ rotating head to angle light where desired
- Easy twist smooth dimming switch for ultimate control
- Presented in hard-shell zipped storage case with 2 x 18650 batteries and 1m USB-C charging cable included
- Intelligent parallel circuitry - runs on 1 or 2 batteries
- Tough ABS construction with adjustable non-slip silicone lined headbands
- 5 x Useful battery level and charging indicators on battery pack
- USB-C 2A charging - 3.5 hour charge time

BATTERY 2 x 3.7V 2000mAh 18650 Li-ion Batteries (inc.)
WEIGHT 291g (with 2 batteries)
DIMENSIONS Headtorch 38 x 60 x 45 mm / Battery pack 65 x 90 x 45 mm

750LM | 4-260H | 100M | IPX6





PS-HDL6R | DUAL POWER HELMET HEADTORCH

- High quality 350 lumen white SMD LEDs, 6500k
- Network Rail Approved
- Hybrid Power - runs off rechargeable battery or 3 x AAA batteries
- 3M VHB adhesive helmet mount and 30cm USB-C charging cable included
- Easy push button micro switch with Anti-dazzle retractable light shield
- 45˚ rotating head to angle light where desired
- Adjustable non-slip silicone lined headband included
- 3 x AAA battery cartridge included (AAA's not inc.)
- Useful 2-colour battery level indicator and charging indicator on battery
- USB-C 1A charging - 4 hour charge time

BATTERY 3.7V 1800mAh Li-Polymer (inc.) or 3 x AAA Battery Cartridge (batteries not incl.)
WEIGHT 130g (with li-ion battery & strap)
DIMENSIONS Headtorch 50 x 65 x 45 mm

350LM | 2-59H | 27M | IPX6





HL-8R | DUAL BEAM SENSOR HEADTORCH

- High quality 475 lumen white SMD LEDs, 6500k
- 2 x Side SMD LEDs for wide flood lighting
- 250 lumen SMD LED for long distance spot beam
- Optional sensor mode for hands-free activation
- Super tough ABS construction with TPR rubberised coating
- 60˚ rotating head to angle light where desired
- Adjustable non-slip silicone lined headband included
- Convenient charging indicator light
- USB-C 1A charging - 2.5 hours charge time
- 1m high quality USB-C charging cable included

BATTERY 3.7V 1500mAh Li-Polymer Battery
WEIGHT 111g (with strap)
DIMENSIONS Headtorch 47.5 x 78.5 x 46 mm

475LM | 4-35H | 90M | IP65/IK07





HL-4R | USB HELMET HEADTORCH

- Powerful 275 lumen white Cree LED, 6500k
- 2 x 5mm side Red LEDs for night vision
- 45˚ rotating head to angle light where desired
- Strong ABS housing
- Easy push micro switch
- Adjustable non-slip silicone lined headband and 3M VHB adhesive helmet mount included
- Useful Red-to-Green battery level and charging indicator
- Powerful 1800mAh battery with a quick 2.5 hour charge time
- USB-C 1A charging - 30cm cable included
- IPX5 water resistant and 1m impact resistant

BATTERY 3.7V 1800mAh Li-Polymer Battery
WEIGHT 93g (with strap)
DIMENSIONS Headtorch 42 x 63 x 40 mm

275LM | 6.5-170H | 95M | IPX5







PS-HDL2 | LIGHTWEIGHT HELMET HEADTORCH

- Bright 200 lumen white CREE LED, 6500k
- 4 Spot beam modes with 3 additional modes from the 2 x 5mm side LEDs
- Ultra-smooth reflector for long distance beam
- 45˚ rotating head to angle light where desired
- Strong ABS housing
- Easy push micro switch
- Adjustable non-slip silicone lined headband included
- 3M VHB adhesive helmet mount included
- IPX6 water-proof and 1m impact resistant

BATTERY 3 x 1.5V AAA Energizer Alkaline Batteries (inc.)
WEIGHT 100g (with battery & strap)
DIMENSIONS Headtorch 47 x 62 x 37mm

200LM | 5-185H | 95M | IPX6

FLASHLIGHTS









F-2700 | USB ALUMINIUM FLASHLIGHT

- Ultra bright 2700 lumen white LED, 6500k
- Hard anodized die cast matte aluminium body with Tactical rubberised tail switch
- Flawless smooth reflector for long distance beam
- 4 light modes and 8Hz defence strobe
- Built-in concealed USB-C charging port with Battery level and charging indicator
- Useful pocket clip, safety nylon wrist strap and High quality 50cm USB-C cable included
- IP68 dust and waterproof - 1m submersible and 2m impact resistant
- Circuit Protection prevents over-charging or over-discharging
- 2A USB-C charging - 3 hour charge time

BATTERY 3.6V 5000mAh 21700 Li-ion Battery (inc.)
WEIGHT 210g (with li-ion battery)
DIMENSIONS 153 x Ø 33x Ø 28 mm

2700LM | 3-45H | 218M | IP68







F-1400 | DUAL POWER ALUMINIUM FLASHLIGHT

- Super bright 1400 lumen white LED, 6500k
- Hard anodized die cast matte aluminium body with Tactical rubberised tail switch
- Flawless smooth reflector for long distance beam
- 4 light modes and 8Hz defence strobe
- Built-in concealed USB-C charging port with Battery level and charging indicator
- Useful pocket clip, safety nylon wrist strap and High quality 50cm USB-C cable included
- IP68 dust and waterproof - 1m submersible and 2m impact resistant
- Circuit Protection prevents over-charging or over-discharging
- 1A USB-C charging - quick 2.5 hour charge time
- Can also work with 2 x CR123A lithium batteries (not inc.)

BATTERY 3.6V 2600mAh 18650 Li-ion (inc.) / or 2 x CR123A batteries (not inc.)
WEIGHT 157g (with li-ion battery)
DIMENSIONS 140 x Ø 30x Ø 25 mm

1400LM | 2.5-23H | 180M | IP68





FR-1200 | DUAL POWER RIGHT ANGLE FLASHLIGHT

- Super bright 1200 lumen white LED, 6500k
- Hard anodized die cast matte aluminium body with 90˚ rotating head
- Useful pocket clip and super strong magnetic base
- Rubberised easy press side switch with 3 light modes
- Flawless smooth reflector for long distance beam
- Built-in rubberised USB-C charging port with Battery level and charging indicator under the switch
- Circuit Protection prevents over-charging or over-discharging
- 1A USB-C charging - 2.5 hour charge time
- High quality 50cm USB-C charging cable included
- Can also work with 2 x CR123A lithium batteries (not inc.)

BATTERY 3.6V 2600mAh 18650 Li-ion (inc.) / or 2 x CR123A batteries (not incl.)
WEIGHT 209g (with li-ion battery)
DIMENSIONS Extended length 160.5 x Ø 30x Ø 27 mm

1200LM | 3-14H | 180M | IP65





FR-400 | RIGHT ANGLE USB FLASHLIGHT

- High power 400 lumen white LED, 6500k
- Hard anodized die cast matte aluminium body with 90˚ rotating head
- Useful pocket clip and super strong magnetic base
- Rubberised easy press side switch with 3 light modes
- Frosted lens for smooth wider beam spread
- Built-in rubberised USB-C charging port with Battery level and charging indicator under the switch
- Circuit Protection prevents over-charging or over-discharging
- 1A USB-C charging - 2.5 hour charge time
- High quality 50cm USB-C charging cable included

BATTERY 3.7V 750mAh 10900 Li-ion Battery (inc.)
WEIGHT 90g (with li-ion battery)
DIMENSIONS Extended length 161.5 x Ø 19x Ø 17 mm

400LM | 2-8H | 60M | IP65

MULTI-USE LIGHTS











SPL-350 | SPIRIT LEVEL WORKLIGHT

- Powerful 350 lumen COB LED spirit level worklight, 6500k
- Light-up spirit level vial with additional red laser pointer
- Tough ABS, PC and aluminium construction
- Glow-in-the-dark strip around COB LED
- Strong base and side magnets and strong holster with belt clip included
- Smart Memory Switch - remembers last used mode
- High quality 800mAh Li-ion battery with a quick 1.5 hour charge time
- Battery level and charging indicator ring surrounding switch
- Low battery warning flash - reminds to charge
- USB-C 2A charging - 30cm USB-C charging cable included

BATTERY 3.7V 800mAh Li-ion Battery
WEIGHT 177g
DIMENSIONS 25 x 90 x 55 mm

350LM | 1-25H | 23M | IPX4

FLX-125 | TELESCOPIC MAGNETIC PICK-UP LIGHT

- High quality 125 lumen white SMD LED, 6000k
- Extending telescopic handle with flexible gooseneck for reaching into tight spaces
- Extends from 177mm to 522mm
- Strong magnet around LED for use as a pick-up tool
- Ultra lightweight compact pocket size made from super tough nylon and aluminium
- Useful pocket clip and super strong magnetic base
- Smart Memory Switch - remembers last used mode
- Fast 2A USB-C charging - 2.5 hour charge time with over-charge and over-discharge protection
- 3 Colour battery level indicator and Green flash-to-green charging indicator
- High quality 50cm USB-C charging cable included

BATTERY 3.7V 180mAh Li-ion Battery
WEIGHT 88.8g
DIMENSIONS Closed 177 x Ø21 x Ø17.5 mm / Extended 522 x Ø21 x Ø17.5 mm

125LM | 2-6H | 13M | IP65/IK09





NL-350R | RECHARGEABLE NECK LIGHT

- High quality 350 lumen white SMD LEDs, 6500k
- Super lightweight, adjustable and comfortable
- 2 light heads can be adjusted independently
- Frosted lens help produce up to 120˚ wider lighting angle
- Super tough GF nylon construction with flexible neck piece
- Circuit protection prevents over-charging or over-discharging
- 3 colour battery level and charging indicator - quick 2.5 hour charge time
- Low battery warning 3x flash - reminds to charge
- 50cm high quality USB-C charging cable included

BATTERY 3.7V 700mAh Li-ion Battery
WEIGHT 140g
DIMENSIONS 230 x 150 x 23 mm

350LM | 2-5H | 45M | IP54/IK07





L-1800 | INDUSTRIAL DUAL LED LANTERN

- Super bright 1800 lumen white spot beam LED, 6500k
- Glow-in-the-Dark strip around reflector for extra visibility
- Additional 1000 lumen COB LED floodlight, 6500k - with red static and red flashing modes
- Super tough PC, ABS and aluminium construction
- Threaded hole in the base for attaching tripods and Convenient shoulder carry strap
- Easy press dual switches for easy mode selection
- Super high power 18,000mAh li-ion battery with Battery level and charging indicators
- Multiple USB powerbank outputs - 5V 3A / 9V 2A / 12V 1A
- Intelligent multiple USB-C charging inputs - 5V 3A / 9V 2A with 7 or 8 hour charge time
- 1m high quality USB-C charging cable included

BATTERY 3.7V 18,000mAh Li-ion Battery
WEIGHT 834g
DIMENSIONS 200 x 131 x 108 mm

1800LM | 9-390H | 760M | IPX6







PB-10050 | HEAVY-DUTY POWERBANK WITH FLASHLIGHT

- Ultra heavy duty industrial magnetic powerbank with flashlight
- Super tough GF nylon and TPR construction
- Intelligent multiple outputs - 5V 2A / 9V 2A / 12V 1.5A
- Fast 2A USB-C charging - 4.5 hour charge time
- Over-charge, over-load, deep-discharge and short-circuit protection
- 250 lumen white 6500k SMD LED flashlight with flashing mode and 75 hour runtime
- 3 x Battery level and charging indicators
- Super strong magnetic base
- Sturdy rear metal pocket clip
- 1m high quality USB-C charging cable included

BATTERY 3.6V 10050mAh Li-ion Battery
WEIGHT 265g
DIMENSIONS 114 x 65 x 32mm

250LM | 75H | 21M | IP65/IK07



CRI LIGHTS


CRI-1250R
UNILITE
1250
LUMEN
96
CRI
RECHARGEABLE HIGH CRI
LED INSPECTION LIGHT
CE











CRI-1250R | HIGH CRI INSPECTION LIGHT

- High CRI 96+ 1250 lumen white COB LED
- Multiple colour temperatures - CCT: 2700k / 4500k / 6500k
- 250 lumen SMD LED flood beam top flashlight with 5W 385nm UV LEDs on front
- Press and hold smooth dimming for ultimate control
- Super tough aluminium and PC construction with Glow-in-the-dark strip around COB LED
- Retractable 360˚ rotating hanging hook and with Strong magnets on back and base
- 4 x Battery level indicators on the lamp, with charging indicators on lamp and dock
- USB-A powerbank output for charging other devices
- 2A USB-C charging - 5 hours charge time
- Magnetic charging dock and 1m USB-C charging cable included

BATTERY 3.7V 5000mAh Li-ion Battery
WEIGHT 638g
DIMENSIONS 216 x 58 x 38 mm

1250LM | 3-24H | 58M | IP65/IK07

CRI-H650 | HIGH CRI HELMET HEADTORCH

- High CRI 96+ 650 lumen white COB LED, 6500k - produces a smooth wide flood
- With 40 lumen 620nm Red static and flashing modes for night vision and emergency
- 150˚ Rotating head angle with optional motion sensor for hands-free activation
- Smart Memory Switch - remembers last mode used
- Press & hold smooth dimming on white modes for ultimate brightness control
- Adjustable non-slip silicone-lined headband, 3M VHB adhesive helmet mount, 30cm USB-C charging cable and hard-shell zipped case included
- Battery level and charging indicator under switch - 4 hour charge time
- Battery is easily removed and replaced by unscrewing the end cap
- Powerful 'LG' 3400mAh 3.6V 18650 Li-ion battery included
- Bi-directional USB-C port on battery allows quicker 2A charging and can be used as a 1A powerbank to charge other devices

BATTERY 1 x 3.6V 3400mAh 18650 Li-ion Battery
WEIGHT 123g (with battery, no strap)
DIMENSIONS Headtorch 50.65 x 79.5 x 39.5 mm

650LM | 3-64H | 32M | IP65

ATEX LIGHTS







ATEX-H3 | INTRINSICALLY SAFE HEADTORCH

- Powerful 325 lumen white Cree LED, 6500k
- ATEX Zone 0 gas compliant for use in hazardous environments - also suitable for mining
- Durable anti-static ABS and rubber construction
- Safety release valve to allow hydrogen gases to escape
- Chemical and corrosion resistant
- Polycarbonate lens and ultra smooth reflector for long distance beam
- 90˚ Rotating head with easy press rubberised micro switch
- Silicone lined non-slip headband included
- Secure screw fastening battery compartment
- IP67 dust and waterproof - 1m submersible

BATTERY 3 x 1.5V AAA Alkaline Batteries (not inc.)
WEIGHT 110g (without batteries or strap)
DIMENSIONS 60 x 84 x 50mm

REACH UK CA CE RoHS

325LM | 6-12.5H | 123M | IP67





ATEX-RA2 | INTRINSICALLY SAFE RIGHT ANGLE TORCH

- Powerful 350 lumen white Cree LED, 6500k
- ATEX Zone 0 gas compliant for use in hazardous environments - also suitable for mining
- Industrial strength polycarbonate construction with anti-static materials
- Safety release valve to allow hydrogen gases to escape
- Chemical and corrosion resistant
- Polycarbonate lens and ultra smooth reflector for long distance beam
- Rubberised head and grips for durability
- Convenient rear stainless steel pocket clip
- Secure screw fastening battery compartment
- Easy push rubberised micro switch operation

BATTERY 4 x 1.5V AA Alkaline Batteries (not inc.)
WEIGHT 250g (without batteries)
DIMENSIONS 183 x 69 x 63mm

REACH UK CA CE RoHS

350LM | 6.5-13H | 288M | IP54







ATEX-FL4 | INTRINSICALLY SAFE FLASHLIGHT

- Powerful 150 lumen white Cree LED, 6500k
- ATEX Zone 0 gas compliant for use in hazardous environments
- Industrial strength polycarbonate construction with anti-static materials
- Safety release valve to allow hydrogen gases to escape
- Chemical and corrosion resistant
- Rubberised head and handle for greater durability
- Polycarbonate lens and ultra smooth reflector for long distance beam
- Secure screw fastening battery compartment
- Detachable pocket clip included for hands free use with Optional helmet brackets available
- IP67 dust and waterproof - 3m submersible

BATTERY 4 x 1.5V AA Alkaline Batteries (not inc.)
WEIGHT 115g (without batteries)
DIMENSIONS 174 x 47 x 47 mm

150LM | 6-69H | 235M | IP67



ATEX-H3

TOOLS





SG-Y10 | SAFETY GLASSES - INDOOR/OUTDOOR LENSES

- Super tough flexible nylon-polymer frame
- 8-Base curved toughened polycarbonate lenses
- Polycarbonate lenses with Indoor and outdoor mirror coating
- 99% UV A/B/C protection (EN170)
- Anti-scratch and anti-fog lens coatings
- Flexible PC and TPR co-injected side arms with rubberised TPR inner arm grips
- Side TPR temple shields with ventilation
- Adjustable rubberised non-slip nose pads
- Reinforced nose bridge
- Micro-fibre drawstring storage bag included

LENS MARKINGS

- Lens Filters: 2 (UV EN170) 1.4 (Indoor & Outdoor)
- Optical Class: 1 (high optical quality)
- Lens Coatings: Standard Anti-Scratch & Anti-Fog
- Mechanical risk - Low energy impact - F
- High speed particles at extreme temperatures - T

WEIGHT 33.5g

CERTIFICATIONS CE/UKCA - EN166 | USA - ANSI Z87.1 | AU/NZ - AS/NZS 1337.1



SG-YCB | SAFETY GLASSES - CLEAR BLUE LIGHT LENSES

- Tough flexible polycarbonate frame
- 8-Base curved toughened polycarbonate lenses
- Clear 420Cut blue light blocking lenses
- Blocks harmful HEV blue light up to 420nm
- K and N anti-scratch and anti-fog lens coatings
- 99% UV A/B/C protection (EN170)
- Flexible PC and TPR co-injected side arms
- Adjustable rubberised non-slip nose pads
- Reinforced nose bridge
- Micro-fibre drawstring storage bag included

LENS MARKINGS

- Lens Filters: 2C (UV EN170) 1.2 (Clear)
- Optical Class: 1 (high optical quality)
- Lens Coatings: Anti-Scratch - K Anti-Fog - N
- Mechanical risk: Low energy impact - F
- High speed particles at extreme temperatures - T

WEIGHT 28.5g

CERTIFICATIONS CE/UKCA - EN166 | USA - ANSI Z87.1 | AU/NZ - AS/NZS 1337.1



SG-YDS | SAFETY GLASSES - DARK SMOKE LENSES

- Tough flexible polycarbonate frame
- 8-Base curved toughened polycarbonate lenses
- Dark smoke lens tinting
- K and N anti-scratch and anti-fog lens coatings
- 99% UV A/B/C protection (EN172)
- Flexible PC and TPR co-injected side arms
- With side temple ventilation
- Adjustable rubberised non-slip nose pads
- Reinforced nose bridge
- Micro-fibre drawstring storage bag included

LENS MARKINGS
- Lens Filters: 5 (UV EN172) 2.5 (Dark Smoke)
- Optical Class: 1 (high optical quality)
- Lens Coatings: Anti-Scratch - K Anti-Fog - N
- Mechanical risk: Low energy impact - F
- High speed particles at extreme temperatures - T

WEIGHT 28g

CERTIFICATIONS CE/UKCA - EN166 | USA - ANSI Z87.1 | AU/NZ - AS/NZS 1337.1



SG-YFG | SAFETY GLASSES - CLEAR LENSES & FOAM GASKET

- Tough flexible polycarbonate frame
- 8-Base curved toughened polycarbonate clear lenses
- Hytrel black back frame with EVA foam gasket
- K and N anti-scratch and anti-fog lens coatings
- 99% UV A/B/C protection (EN170)
- Flexible PC and TPR co-injected side arms
- With side temple ventilation
- Adjustable rubberised non-slip nose pads
- Reinforced nose bridge
- Micro-fibre drawstring storage bag included


LENS MARKINGS
- Lens Filters: 2C (UV EN170) 1.2 (Clear)
- Optical Class: 1 (high optical quality)
- Lens Coatings: Anti-Scratch - K Anti-Fog - N
- Mechanical risk: Low energy impact - F
- High speed particles at extreme temperatures - T

WEIGHT 39.5g

CERTIFICATIONS CE/UKCA - EN166 | USA - ANSI Z87.1 | AU/NZ - AS/NZS 1337.1









UK1 | FOLDING UTILITY KNIFE

- Durable nickel body with ABS and a TPR grip
- 4 x SK5 black steel blades included
- 1 blade installed and 3 replacement blades conveniently stored inside
- Multi-position folding design
- Easy press unlocking button
- Quick release blade change
- Convenient wire/strap cutter slot
- Useful hole for attaching a lanyard
- Accepts most standard utility blades
- Folded length: 116 x 41.5 x 23.5 mm

151g Extended Length: 175mm

FK3 | HEAVY DUTY FOLDING UTILITY KNIFE

- Heavy duty folding utility knife
- High-carbon 3Cr13 stainless steel blade
- 'Clip point' blade with serrated edge and tapered spine swedge
- Blade spine includes thumb rise for extra grip
- Blade hardness 52-54 HRC
- Assisted one-handed opening with thumb studs
- Easy to operate one-handed 'Liner lock' mechanism
- Ultra tough ergonomic aluminium handle with front Quillion finger guard
- Pocket clip for easy carrying
- Hole in the handle for adding a lanyard
- Folded length: 116 x 40 x 15 mm

119.5g Extended Length: 198mm





EK4 | HEAVY DUTY FOLDING UTILITY KNIFE

- Heavy duty folding utility knife
- High-carbon 3Cr13 stainless steel blade
- 'Drop point' blade with serrated edge and tapered spine swedge
- Blade spine includes thumb rise for extra grip and 2 wire stripper notches
- Assisted one-handed opening with thumb studs
- Blade hardness 52-55 HRC
- Ultra tough ergonomic aluminium handle with front Quillion finger guard
- Easy to operate one-handed 'Framelock' mechanism
- Pocket clip for easy carrying
- Folded length: 110 x 40 x 17 mm

135g

Extended Length: 195mm





EK5 | HEAVY DUTY FOLDING UTILITY KNIFE

- Heavy duty folding utility knife
- Super high-carbon 7Cr17MoV stainless steel blade with high tensile strength
- 'Sheepsfoot' blade with cable stripper notch
- High blade hardness 56-58 HRC
- Crescent nail pull in the blade spine for easy opening
- Sharpening 'choil' notch at the blade plunge line for easier sharpening
- Durable and easy to operate 'Lockback' mechanism
- Ultra tough ergonomic aluminium handle
- Hole in the handle for adding a lanyard
- Super low-profile housing at only 10mm deep
- Folded length: 110 x 37 x 10 mm

107g

Extended Length: 182mm



ES-6 | 6” ELECTRICIANS SCISSORS

- Ultra tough 6” professional electricians scissors
- Whole steel frame for high resistance and durability
- Industrial strength polypropylene handles with full TPR coating for superior grip and comfort
- High grade 4034 Japanese stainless steel 4.0mm thick polished blades with 40mm cutting edge
- Black ‘DLC’ (diamond-like-carbon) coating on blades for extra sharpness
- High hardness blades (58±2 HRC) with anti-slip serrated edge
- 2.5mm² and 1.5mm² wire strippers and wire crimping terminal
- Notch in the blades for cutting/stripping 50mm² cable
- Includes heavy duty nylon clip-on belt sheath
- Suitable for cutting aluminium, copper and soft cable

153g 162 x 80 x 18 mm



MFS-8 | 8” MULTI-FUNCTION SCISSORS

- Ultra tough 8” professional multi-function scissors
- Industrial strength polypropylene handles
- With added TPR moulding for superior grip and comfort
- High grade 420 J2 Japanese stainless steel 3.0mm thick polished blades with 60mm cutting edge
- Black ‘DLC’ (diamond-like-carbon) coating on blades for extra sharpness
- High hardness blades (53±2 HRC) with anti-slip serrated edge
- Extra functions include safety box cutter, wire cutter, jar opener and nut cracker
- Includes polypropylene safety sheath
- Suitable for cutting soft materials such as tin sheets, carpet, corrugated cartons, aluminium sheet, plastics, etc.

142g 205 x 95 x 16 mm



MT319 | COMPACT POCKET TAPE MEASURE

- Heavy duty 3m tape measure with 19mm wide blade
- Ultra high performance specialist SUPERBLADE nylon coating giving 5 x extended life
- 1.8m/6ft horizontal stand-out blade
- SUPERBLADE withstands durability tests of falling sand particles with 60 litres of salt spray for 100 hours
- Double riveted carbon steel hook
- Dual colour double sided imperial and metric blade
- Durable rear pocket clip - wont detach even if screw loosens
- Powerful push lock secures the blade
- Superior internal mechanism provides smooth operation
- Impact resistant TPR covered ABS casing - Drop tested from 9m

142g 63.3 x 63.4 x 37.5mm



MT5M2 | HEAVY DUTY TAPE MEASURE

- Heavy duty 5m tape measure with 27mm wide blade
- Ultra high performance specialist SUPERBLADE nylon coating giving 5 x extended life
- 2.9m/9.5ft horizontal stand-out blade
- SUPERBLADE withstands durability tests of falling sand particles with 60 litres of salt spray for 100 hours
- Magnetic triple riveted stainless steel dual hook with 1kg suction
- Dual colour double sided imperial and metric blade
- Durable rear pocket clip - wont detach even if screw loosens
- Powerful push lock secures the blade
- Superior internal mechanism provides smooth operation
- Impact resistant TPR covered ABS casing - Drop tested from 9m

322g 76.5 x 79 x 51.8mm



MT8M3 | SUPER HEAVY DUTY TAPE MEASURE

- Super heavy duty 8m tape measure with 32mm ultra wide blade
- Ultra high performance specialist SUPERBLADE nylon coating giving 5 x extended life
- 4m/13ft horizontal stand-out blade
- SUPERBLADE withstands durability tests of falling sand particles with 60 litres of salt spray for 100 hours
- Magnetic triple riveted stainless steel dual hook with 1kg suction
- Dual colour double sided imperial and metric blade
- Durable rear pocket clip - wont detach even if screw loosens
- Powerful push lock secures the blade
- Superior internal mechanism provides smooth operation
- Impact resistant TPR covered ABS casing - Drop tested 12 times from 3m

603g 90 x 90 x 59mm



MT827-C1 | CLASS 1 HEAVY DUTY TAPE MEASURE

- Heavy duty 8m tape measure with 27mm wide blade
- Class 1 high precision calibrated blade with nylon coating
- 2.85m/9.35ft horizontal stand-out blade
- Triple riveted black carbon steel dual hook
- Dual colour double sided imperial and metric blade
- Durable rear pocket clip - wont detach even if screw loosens
- Powerful push lock secures the blade with convenient finger stop on bottom
- Superior internal mechanism provides smooth operation
- Impact resistant TPR covered ABS casing
- Drop tested from 3m

509g 85 x 85 x 51.4 mm



LTF3015 | HEAVY DUTY 30M LONG TAPE

- Heavy duty 30m/100ft long fibre-glass tape measure
- Protective housing and easy carry handle
- High performance double PVC coated 15mm wide blade
- White double sided blade with imperial and metric measurements
- Easy finger pull ring with fold-out steel ground spike
- Superior internal mechanism provides smooth operation
- 3:1 geared ratio for fast rewind
- Fold-out rotating crank handle on the back
- Impact resistant TPR covered ABS casing
- Drop tested from 1m

686g

256.5 x 159.5 x 54 mm



LTF5015H | HEAVY DUTY 50M LONG TAPE

- Heavy duty 50m/165ft long fibre-glass tape
- High performance double PVC coated 15mm wide blade
- White double sided blade with imperial and metric measurements
- Easy finger pull ring with fold-out steel ground spike
- Superior internal mechanism provides smooth operation
- 3:1 geared ratio for fast rewind
- Fold-out rotating crank handle on the back
- Large protective housing with easy hold ergonomic handle on the front
- Impact resistant TPR covered ABS casing
- Drop tested from 1m

909g

203.1 x 209.8 x 85 mm





UG-12C4 | HEAVY DUTY CUT-D IMPACT GLOVES


- Cut resistant gloves with full dorsal TPR impact protection
- Flexible lightweight design, TPR weighs less than 60g
- Heavy duty 15-Gauge high-performance polyethylene (HPPE) yarn interwoven with steel and glass fibres for added strength
- Sandy nitrile half-dip coating offers excellent grip with touch screen technology
- TPR is sonic welded to the glove for greater longevity
- Adjustable TPR velcro wrist strap for secure fit with Synthetic leather stitched cuff for durability
- Available in 5 EU sizes - 7/S, 8/M, 9/L, 10/XL and 11/XXL
- EN388 mechanical hazard protection: 4X42DP - cut level D
- ANSI/ISEA 138 impact resistant level 2
- ANSI cut resistant level A4

EN 388 4X42DP | ANSI/ISEA 138 2 | ANSI A4 CUT

CERTIFICATIONS EN ISO 21420:2020 | EN 388:2016+A1:2018 | ANSI/ISEA 2016 | ANSI/ISEA138:2019

ACCESSORIES





LARGE-MAGNET | SUPER STRONG MAGNET FOR SITE LIGHTS

- Incredibly powerful heavy duty magnet
- Made from steel and aluminium
- Locking wing nut securely holds a site light in place
- Magnetic force of more than 3900GS
- Supports Unilite Tripods
- Can be used with the following Unilite site lights: CRI-2300, CRI-3350, SLR-4400, RF-2000, RF-3300, RF-5400, MTB-5000, MTB-5300 & MTB-10000

363g Ø53.7 x 35.5mm



TRIPOD-360 | MULTI-USE TRIPOD WITH MAGNETIC PLATE

- Can hold up to 4 work lights
- Extendable height range between 0.9-1.9m
- Work lights with magnets can be placed on top or underneath the top plate
- Toughened aircraft grade aluminium construction
- ABS feet to prevent slipping and for added stability
- One tripod leg has an extra extending feature for uneven ground
- Quick assembly and dismantling using the central screw tightening height adjuster
- Can be used with the following site lights when used with the LARGE-MAGNET attachment: CRI-2300, CRI-3350, SLR-4400, RF-5400, MTB-5000, MTB-5300 & MTB-10000
- Folded: 990 x 235 x 250 mm

4.8kg 1460 x 1460 x 1930 mm







MTB-BATT-KIT | BATTERY & CHARGER KIT FOR MTB SITE LIGHTS

- MTB-BATTERY: 14.8V 5200mAh Li-ion battery to power MTB site lights (582g - 112 x 78 x 65mm)
- MTB-ADAP-UNILITE: Battery Adaptor required for Unilite battery (104g - 88 x 80 x 39mm)
- CHARGER-20V1.1A: Multi-country charger with UK, EU, US and AU plugs required to charge the battery (170g - 89 x 47 x 37m)
- All items within the kit can be purchased seperately if required

899g IP65 / IK07

MTB ADAPTORS | BATTERY ADAPTORS FOR MTB SITE LIGHT

- Connects your Powertool batteries to the MTB site lights
- Compatible with MTB-5000, MTB-5300 and MTB-10000
- Please note some larger 5.5Ah-6.0Ah batteries may need to be used without the lamps battery cover
- MTB site light range accepts UP TO 20V 6Ah batteries
- Bosch, Hilti, Flex, Festool, Husqvarna adapters available to purchase seperately
- MTB-5000, MTB-5300 & MTB-10000 Site lights come with Milwaukee, Metabo, DeWalt and Makita adaptors
- NOTE: DeWalt Powerstack, Hilti Nuron 22V, Metabo HPT and Flex 24V platforms are not compatible

79-96g Varies for each brand

INDEX

SITE LIGHTS

MTB-10000 6
MTB-5300 7
MTB-5000 8
TL-6000 9
SLR-5500 10
RF-5400 11

WORK LIGHTS

CL-1700 14
SLR-1750 15
SLR-1450 16
SP-950 17
HX-1080 18
K-550 19

INSPECTION LIGHTS

IL-1600 22
IL-925R 23
IL-425R 24
PL-3 25
PL-1800 26
PL-550 27
IL-625R 28
IL-SIG1 29

HEADTORCHES

HT-1600R 32
HT-700 33
PS-HDL9R 34
PS-HDL6R 35
HL-8R 36
HL-4R 37
PS-HDL2 38

FLASHLIGHTS

F-2700 42
F-1400 43
FR-1200 44
FR-400 45

MULTI-USE LIGHTS

SPL-350 48
FLX-125 49
NL-350R 50
L-1800 51
PB-10050 52

CRI LIGHTS

CRI-1250R 56
CRI-H650 57

ATEX LIGHTS

ATEX-H3 60
ATEX-RA2 61
ATEX-FL4 62

TOOLS

SG-YIO 66
SG-YCB 67
SG-YDS 68
SG-YFG 69
UK1 70
FK3 71
EK4 72
EK5 73
ES-6 74
MFS-8 75
MT319 76
MT5M2 77
MT8M3 78
MT827-C1 79
LTF3015 80
LTF5015H 81
UG-I2C4 82

ACCESSORIES

LARGE-MAGNET 86
TRIPOD-360 87
MTB-BATT-KIT 88
MTB-ADAPTORS 89



part of ASPEN PUMPS GROUP



Aspen Pumps Group
Apex Way
Hailsham
East Sussex
BN27 3WA

+44 (0)1323 848842
sales@aspenpumps.com
aspenpumps.com